


DC

REVISION				
ZONE	LTR	DESCRIPTION	DATE	APPROVED



REFERENCE FOOTPRINT
推奨ランドパターン
<Top view>


No.	Name	No.	Name
1	PO. 25	23	PO. 14
2	PO. 26/AIN0/XL2	24	PO. 15
3	PO. 27/AIN1/XL1	25	PO. 16
4	PO. 28	26	SWDCLK
5	PO. 29	27	SWDIO/nRESET
6	PO. 30	28	PO. 17
7	PO. 00/AREF0	29	PO. 18
8	PO. 01/AIN2	30	PO. 19
9	PO. 02/AIN3	31	PO. 20
10	PO. 04/AIN5	32	PO. 24
11	PO. 06/AIN7/AREF1	33	PO. 22
12	PO. 07	34	PO. 21
13	PO. 05/AIN6	35	PO. 23
14	GND	36	GND
15	VDD	37	GND
16	PO. 03/AIN4	38	GND
17	PO. 08	39	GND
18	PO. 09	40	GND
19	PO. 10	41	GND
20	PO. 11	42	GND
21	PO. 12	43	GND
22	PO. 13	44	GND

1. Tolerances are +/-0.1 mm, unless otherwise specified.
指定なき寸法公差は、±0.1 mmとする。
2. There are maximum 0.3 mm (total 0.6 mm) perforations at length and width directions.
基板の縦及び横方向に対してミシン目のカット残り寸法が片側最大0.3 mm (合計0.6 mm) 出っ張る。


LTR	PART NAME	QTY	MATERIAL	SCALE	NAME
DWN				NTS	Bluetooth Low Energy Module
CHKD				3RD ANGLE PROJECTION	MODEL NO.
APVD					HRM1017-011030
Hosiden Corporation FACTORY: <input checked="" type="checkbox"/> OSAKA <input type="checkbox"/> TOKYO <input type="checkbox"/> F.D. <input type="checkbox"/> <input type="checkbox"/> KYUSHU <input type="checkbox"/> SEIKO <input type="checkbox"/>					DWG NO.
					HRM1017-011030DC

REVISION					
ZONE	LTR	DESCRIPTION	DATE	REVISED	APPROVED

DC



*Marking contents: Refer to following marking design.
マーキング内容: 下図参照。



Preliminary

LTR	PART NAME	QTY	MATERIAL	
DWN	DATE	SCALE	NAME	
CHKD	DATE	NTS	Bluetooth Low Energy Module	
APVD	DATE	3RD ANGLE PROJECTION	MODEL NO.	
Hosiden Corporation FACTORY: <input checked="" type="checkbox"/> OSAKA <input type="checkbox"/> TOKYO <input type="checkbox"/> F.D. <input type="checkbox"/> <input type="checkbox"/> KYUSHU <input type="checkbox"/> SEIKO <input type="checkbox"/>			HRM1017-011030	
			DWG NO. HRM1017-011030DC	

HRM1017ブロック図

