




Handsfree Microphone – Part number : KHM0071

Analog output	Visible type(KHM0071)
<p>Appearance Size:Φ20xt13mm</p>	
<p>Sensitivity</p>	<p>-43±3 dB</p>
<p>Frequency response (Typ.)</p>	
<p>Directivity</p>	<p>Uni</p>
<p>Signal to noise ratio(A)</p>	<p>60 dB Typ.</p>

Handsfree Microphone – Part number : KHM0071

Analog output	Visible type(KHM0071)
Total harmonic distortion (at 1kHz)	3% Max./106dB SPL
Standard power supply	2.0 V
Current consumption	0.5mA Max.
Output Impedance	2.2k Ω Max.
Operating voltage	1~10 V
Operating temperature	-30 $^{\circ}$ C ~ +85 $^{\circ}$ C
Storage temperature	-40 $^{\circ}$ C ~ +85 $^{\circ}$ C

Handsfree Microphone – Part number : KHM0071

Analog output	Visible type(KHM0071)
<p>Test circuit</p>	 <p> $R_L = 2.2k\Omega$ $C = 1\mu F$ </p>
<p>Mechanical dimensions</p>	<p>Refer to Page 4</p>
<p>Packaging (STD)</p>	<p>Carton(160pcs/1 carton)</p>

Handsfree Microphone – Part number : KHM0071

